





JK WRANGLER


3 Compartment Bag




82210326



K6860048




A



1


Lay bag out flat.

Lay one window flat.




2

Place protective cover over window.




3


Add additional windows with protective cover between each layer.



Fold outer flap over and zip closed.





4




Roll bag as tight as possible.

5




Thread straps through buckles and pull tight.

6



Clip bag to child restraint brackets on back of seat.




7




JK WRANGLER

Sac à 3 compartiments





82210326



K6860048


A



1


Étaler le sac à plat.

Étaler une fenêtre à plat.




2

Placer la housse de protection par-dessus la fenêtre.




3


Ajouter des fenêtres additionnelles avec une housse de protection entre les couches.



Plier le rabat extérieur par-dessus et fermer avec la fermeture à glissière.





4




Rouler le sac le plus étroitement possible.

5




Passer les sangles dans les boucles et tirer pour serrer.

6



Fixer le sac aux supports de retenue à l'arrière du siège.




7




JK WRANGLER

Bolso de 3 Compartimientos





82210326



K6860048


A



1


Extienda el bolso completamente.

Extienda una ventana completamente




2

Coloque la cubierta protectora sobre la ventana.




3


Agregue ventanas con la cubierta protectora entre cada capa



Doble y enfunde la cubierta exterior y cierre la cremallera.





4




Enrolle el bolso lo más compacto posible.

5




Haga pasar las correas por las hebillas y jale para tensar y ajustar.

6



Enganche el bolso a los seguros para niños en la parte de atrás de los asientos.



7